

# LEADERS

— IN QUALITY —

# LEADERS

IN DEPENDABILITY



## Residential & Commercial

Flame Retardant (FR) PVC Insulated Industrial Cables  
Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables  
Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables  
Flexible Cables Single Core

## Communication Cables


Co-axial Cables  
Telephone Cables  
CCTV Cables  
Speaker Cables  
LAN Cables  
Optic Fibre Cables (HSN - 9001)

## Agriculture

3 Core Flat Cables  
PVC Insulated Winding Wires

## Automobile/Solar Power

Auto Cables  
Solar Cables



# Residential & Commercial



List Price wef. 8 Dec 2023



High grade  
99.97% pure bare  
copper conductor



Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables



# Flame Retardant (FR) PVC Insulated Industrial Cables



List Price wef. 8 Dec 2023

## FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

### GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,140	20
10303	1.00	1,580	20
10304	1.50	2,310	12
10305	2.50	3,670	12
10306	4.00	5,350	8
10307	6.00	7,995	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,105	20
10313	1.00	1,430	20
10314	1.50	2,080	12
10315	2.50	3,355	12
10316	4.00	5,155	8
10317	6.00	7,725	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	2,720	8
10314	1.50	3,975	6
10315	2.50	6,390	4
10306016	4.00	9,825	4
10307016	6.00	14,750	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	680	30
10314	1.50	995	24
10315	2.50	1,600	24
10316	4.00	2,455	12
10317	6.00	3,690	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above  
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

# Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 8 Dec 2023

## FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

## FINOLEX FLAME RETARDANT (FR-LSH) PVC INSULATED INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	1,415	20
10114	1.50	2,060	12
10115	2.50	3,300	12
10106	4.00	5,105	8
10107	6.00	7,655	4

## FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10113016	1.00	2,750	8
10114016	1.50	4,015	6
10115016	2.50	6,455	4
10106016	4.00	9,925	4
10107016	6.00	14,900	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	690	30
10114	1.50	1,005	24
10115	2.50	1,615	24
10106	4.00	2,480	12
10107	6.00	3,725	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.  
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.



# Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 8 Dec 2023

## HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

### HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area [sq.mm.]	LP Per 90M Coil [Rs.]	No. of Coils packed in a Master Carton
10403	1.00	1,500	20
10404	1.50	2,185	12
10405	2.50	3,525	12

Product Code	Conductor Area [sq.mm.]	LP Per 90M Coil [Rs.]	No. of Coils packed in a Master Carton
10406	4.00	5,415	8
10407	6.00	8,110	4

### HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area [sq.mm.]	LP per coil [Rs.]	Length per coil	No. of Coils packed in a Master Carton
10403010	1.00	4,360	270	8
10404010	1.50	6,370	270	6
10405010	2.50	10,310	270	4
10406016	4.00	10,570	180	4
10407016	6.00	15,850	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.

COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

# Flexible Cables



## FLEXIBLE CABLES - SINGLE CORE

FINOLEX PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

**SINGLE CORE (Unsheathed):** Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil [Rs.]
14001	0.50	795
14002	0.75	1,165
14003	1.00	1,505

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil [Rs.]
14104	1.50	2,210
14105	2.50	3,550
14206	4.00	5,460

## SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
14207	6	8,195
14208	10	14,240
14209	16	21,690
14210	25	33,900
14211	35	47,325
14212	50	67,105

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
14513	70	97,765
14514	95*	1,29,330
14515	120*	1,66,075
14516	150*	2,05,680
14517	185*	2,54,190
14518	240*	3,34,180

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

## FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

### TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17002	0.50	2,205
17002	0.75	2,990
17002	1.00	3,690

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17102	1.50	4,935
17102	2.50	7,935
17202	4.00	12,350

### THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17003	0.50	2,910
17003	0.75	4,000
17003	1.00	5,030

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17103	1.50	6,910
17103	2.50	11,020
17203	4.00	17,380

### FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17004	0.50	3,675
17004	0.75	5,070
17004	1.00	6,445

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17104	1.50	9,035
17104	2.50	14,530
17204	4.00	22,840

Packaging : Cables shall be supplied in Standard length of 100 M

**SIX TO NINETEEN CORES\*:** The inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

### SIX CORE\* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17006	0.50	5,415
17006	0.75	7,710
17006	1.00	9,680

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17106	1.50	13,560
17106	2.50	21,875
17206	4.00	34,560

### SEVEN CORES (1+6)\*

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17008	0.50	6,310
17008	0.75	8,805
17008	1.00	11,190

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17107	1.50	15,740
17107	2.50	25,360
17207	4.00	39,880

### EIGHT CORES\*

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17008	0.50	7,090
17008	0.75	9,935
17008	1.00	12,600

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17108	1.50	17,900
17108	2.50	28,920
17208	4.00	45,390



## TEN CORES (2+8)\*

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17010	0.50	8,565
17010	0.75	12,230
17010	1.00	15,555

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17110	1.50	21,955
17110	2.50	35,585
17210	4.00	56,215

## TWELVE CORES (3+9)\*

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17012	0.50	10,110
17012	0.75	14,475
17012	1.00	18,450

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17112	1.50	26,075
17112	2.50	42,615
17212	4.00	67,040

**FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.**

## FOURTEEN CORES: (4+10)\*

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17014	0.50	11,800
17014	0.75	16,720
17014	1.00	21,355

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17114	1.50	30,470
17114	2.50	49,625
17214	4.00	77,770

## SIXTEEN CORES (8 +11)\*

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17016	0.50	13,360
17016	0.75	19,150
17016	1.00	24,445

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17116	1.50	34,645
17116	2.50	56,465
17216	4.00	89,010

## NINETEEN CORES (1+6 + 12)\*

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17019	0.50	15,600
17019	0.75	22,415
17019	1.00	28,875

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17119	1.50	40,905
17119	2.50	66,295
17219	4.00	1,04,940

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing: Cables shall be supplied in Standard length of 100 M

## FLEXIBLE CABLES - MULTICORE HEAVY DUTY

**FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010**

### 3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17203074	6	25,710
17203084	10	43,975
17203094	16*	68,065
17203104	25*	1,04,960
17203114	35*	1,47,065


Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17203124	50*	2,11,195
17503134	70*	2,97,395
17503144	95*	3,92,630
17503154	120*	5,24,535

### 4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17204074	6	33,635
17204084	10	57,325
17204094	16*	88,435
17204104	25*	1,38,745
17204114	35*	1,93,675

Product Code	Conductor Area [sq.mm.]	LP Per 100M Coil (Rs.)
17204124	50*	2,75,900
17504134	70*	3,92,590
17504144	95*	5,19,440
17504154	120*	6,78,095

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M



# Communication Cables



List Price wef. 8 Dec 2023



High grade  
99.97% pure bare  
copper conductor



Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables



# Coaxial Cables – Jelly



List Price wef. 8 Dec 2023

## COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,620	4,941
RG 6 CU	2,235	6,817
RG 11 CU	5,070	15,464

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,455	4,438
RG 11 CCS	2,930	8,937

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,350	10,218

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and Al. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

# CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	2,835
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	9,608
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,095
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	10,489
65916013	RG59 JF X1 +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,585
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,149
65923033	CCTV CABLE GEN Z [3+1] 90 M	90 Mtr	1,700
65923036	CCTV CABLE GEN Z [3+1] 180 M	180 Mtr	3,355
65924033	CCTV CABLE GEN Z [4+1] 90 M	90 Mtr	1,895
65924036	CCTV CABLE GEN Z [4+1] 180 M	180 Mtr	3,740
65913033	CCTV CABLE [3+1] 90 MTR	90 Mtr	1,825
65913036	CCTV CABLE [3+1] 180 MTR	180 Mtr	3,605
65914033	CCTV CABLE [4+1] 90 MTR	90 Mtr	2,040
65914036	CCTV CABLE [4+1] 180 MTR	180 Mtr	4,025

# Telephone Cable



## TELEPHONE CABLES

**FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHYLENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDANT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.**

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	725
31050023	2 pair	1,290
31050033	3 pair	1,905
31050043	4 pair	2,510
31050053	5 pair	3,125

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,065
31050203	20 pair	11,555
31050503	50 pair	28,320
31051001	100 pair	55,200

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

**Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardant PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.**

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	515
31040023	2 pair	900
31040033	3 pair	1,335
31040043	4 pair	1,715
31040053	5 pair	2,105

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,235
31040203	20 pair	7,955
31040503	50 pair	19,235
31041001	100 pair	36,810

Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%


**A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.**

# LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	8,140
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	10,030
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	10,030
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	10,030
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	10,030
32925048	0.5x4 Pair UTP Cat-5 IE) CCA LAN Cable	305 Mtr	6,045
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,240
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	7,450
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	14,057
32245044	0.5 x4P UTP CAT6 LAN *GRY* 100M X 2	305 Mtr	3289
32255248	0.5x4P UTP CAT6 LAN D05TH 305	305 Mtr	12,870
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	16,852






# Speaker Cable



List Price wef. 8 Dec 2023

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM [Transparent]	6	100 Mtr	1,615
60325024	Speaker Cable 0.75 SQMM [Transparent]	6	100 Mtr	2,365
60326024	Speaker Cable 1 SQMM [Transparent]	6	100 Mtr	2,920
60327024	Speaker Cable 1.5 SQMM [Transparent]	6	100 Mtr	4,335
60328024	Speaker Cable 2.0 SQMM [Transparent]	6	100 Mtr	6,725
60329024	Speaker Cable 2.5 SQMM [Transparent] 100M	6	100 Mtr	7,195
60324022	Speaker Cable 0.50 SQ MM [Transparent] 25 M	24	25 Mtr	405
60325022	Speaker Cable 0.75 SQ MM [Transparent] 25 M	24	25 Mtr	590
60326022	Speaker Cable 1.00 SQ MM [Transparent] 25 M	24	25 Mtr	730
60327022	Speaker Cable 1.50 SQ MM [Transparent] 25 M	24	25 Mtr	1,085

PACKING : Available in 100 M coils AND 25 M coil



# Agriculture



List Price wef. 8 Dec 2023



High grade  
99.97% pure bare  
copper conductor




Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables



# 3 Core Flat Cable



List Price wef. 8 Dec 2023

## 3 CORE FLAT CABLE

**FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010**

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	7,430
13713051	2.50	11,490
13703061	4.00	16,980
13803071	6.00	25,055
13803081	10.00	43,320
13803091	16.00	67,185

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	1,05,065
13803111	35.00	1,45,415
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

**FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	7,805
13863059	2.50	12,065

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	17,830

**FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	26,310
13823089	10.00	45,490
13823099	16.00	70,550

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	1,10,325
13823119	35.00	1,52,690

## 3 CORE FLAT CCA CABLES

**FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	17,030
13853089	14	140/.36	28,265
13853099	23	226/.36	44,725

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	65,930
13853119	50	594/.36	90,765

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as \* are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

# PVC Insulated Winding Wires



List Price wef. 8 Dec 2023

## PVC INSULATED WINDING WIRES


FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	445	1000	6
13000602	0.60	445	500	6
13000701	0.70	605	1000	6
13000702	0.70	605	500	6
13000801	0.80	785	1000	6
13000802	0.80	785	500	6
13000901	0.90	980	1000	5
13000902	0.90	980	500	6
13001001	1.00	1,200	1000	5
13001002	1.00	1,200	500	6
13001101	1.10	1,450	1000	4
13001102	1.10	1,450	500	6
13001201	1.20	1,710	1000	4
13001202	1.20	1,710	500	6
13001301	1.30	2,005	1000	3
13001302	1.30	2,005	500	6
13001402	1.40	2,335	500	5
13001502	1.50	2,665	500	5
13001602	1.60	3,025	500	4
13001702	1.70	3,410	500	4
13001802	1.80	3,825	500	4
13001902	1.90	4,255	500	3
13002002	2.00	4,745	500	3
13002102	2.10	5,220	500	3
13002202	2.20	5,710	500	2
13002302	2.30	6,235	500	2
13002402	2.40	6,795	500	2
13002502	2.50	7,370	500	2
13002602	2.60	7,965	500	2
13002702	2.70	8,570	500	2
13002804	2.80*	9,235	250	3
13003004	3.00*	10,580	250	2

NOTE : The items marked as \* are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.

PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.





# Automobile / Solar Power



List Price w.e.f. 8 Dec 2023



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables



# Auto Battery Cables

List Price wef. 8 Dec 2023

## AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	5,420	21,690
22210	354/.3	25	8,480	33,900
22211	495/.3	35	11,830	47,325
22212	703/.3	50	16,775	67,105
22513	360/.5	70	24,445	97,765
22514	475/.5 *	95	32,330	1,29,330
22515	608/.5 *	120	41,520	1,66,075
22516	750/.5 *	150	51,420	2,05,680
22517	925/.5 *	185	63,550	2,54,190
22518	1221/.5 *	240	83,545	3,34,180

## PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	795	3,180

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	190	745
2302	24/.21	0.75	285	1,115
2303	32/.21	1.00	375	1,480
2304	30/.26	1.50	545	2,175
2305	50/.26	2.50	910	3,605
2306	56/.31	4.00	1,495	5,975
2307	84/.31	6.00	2,220	8,865

**COLORS :** Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

**NOTE:** The items marked as \* are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.



# Solar Cables

List Price wef. 8 Dec 2023



## SOLAR DC CABLE

**FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007**

**Product Code	Conductor Area (sq.mm.)	List Price per 100 Mtr (Rs.)	Packing
16906011	4	7,505	STANDARD LENGTH OF 500 MTR
16907011	6	10,500	STANDARD LENGTH OF 300 MTR

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name, Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example -                  22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m                  22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm, i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Prk, 10=Red, 11=Vio, 12=Whit, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: [www.finolex.com](http://www.finolex.com) | [/Finolexcables](https://www.facebook.com/Finolexcables) | [/Finolexcables](https://www.instagram.com/Finolexcables) | [/Finolex.Cables](https://www.youtube.com/channel/UC13300MH1967FL031R531)



**AN IS/ISO 9001:2015 CERTIFIED COMPANY**

20-27, Mumbai-Pune Road, Pimpri, Pune - 411016, India.  
 Tel: 020-27506200 | Fax: 020-27472239  
 Visit us at: [www.finolex.com](http://www.finolex.com) | Email: [sales@finolex.com](mailto:sales@finolex.com)  
 CIN: L31300MH1967FL031R531

**Finolex gets people together**

For technical literature please contact our Branch Offices:

**Ahmedabad:** 7926584637 / 26575639 | **Bengaluru:** 7022979559 |  
**Bhubaneswar:** 0674-2971922 / 2971188 | **Cheennai:** 044-28266322 /  
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 0388680670 |  
**Coimbatore:** 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /  
 2782065 | **Gurgaon:** 8896763770 | **Gwahati:** 9864027312 / 8135020423  
 | **Indore:** 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192484 /  
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**  
**Delhi:** 011-23324740 / 23353160 | **Patna:** 9834107999 | **Pune:**  
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |  
**Secunderabad:** 040-27611161 | **Uttarakhand:** 9760045803 | **Vadodra:**  
 9879555568 | **Vijayawada:** 9848043867.

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.