

**LEADERS IN QUALITY
LEADERS IN DEPENDABILITY**



List Price Power Cable w.e.f. 05.06.2023

RESIDENTIAL & COMMERCIAL:

- Flame Retardant (FR) PVC Insulated Industrial Cables
- Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
- Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
- Flexible Cables Single Core

COMMUNICATION CABLES:

- Co-Axial Cables
- Telephone Cables
- CCTV Cables
- Speaker Cables
- Lan Cables
- Optic Fiber Cables (HSN-9001)

AGRICULTURE:

- 3 Core Flat Cables
- PVC Insulated Winding Wires

AUTOMOBILE / SOLAR POWER:

- Auto Cables
- Solar Cables

Ref PCD-64- dt. 05.06.2023

HSN 8544

Finolex make 'FINVUL-X', 650/1100 Volts grade Power Cables Armored (A2XWY/A2XFY) with Aluminum conductors as per IS 7098 /Part-I/1988

Size	1 Core		2 Core			
		<u>A2XWaY</u>	<u>A2XWY</u>		<u>A2XFY</u>	
Cross Sec Sq.mm	SAP Code		SAP Code	Rs./Km.	SAP Code	Rs./Km.
4 re			41240206	88100		
6 re			41240207	99800		
10 re			41240208	120800		
16 sm	43160109	86900			*43250209	*124600
25 sm	43160110	112000				
35 sm	43160111	132900				
50 sm	43160112	164200				
70 sm	43160113	210600				
95 sm	43160114	271000				
120 sm	43160115	336400				
150 sm	43160116	387400				
185 sm	43160117	467500				
240 sm	43160118	576100				
300 sm	43160119	694800				
400 sm	43160120	921300				
500 sm	43160121	1131800				
630 rm	43160122	1385200				
800 rm	43160123	1689500				
1000rm	43160124	2125500				

Size Cross Sec Sq.mm	3 Core				3.5 Core		4 Core			
	A2XWY		A2XFY		A2XFY			A2XWY		A2XFY
	SAP Code	Rs./Km.	SAP Code	Rs./Km.	SAP Code	Rs./Km.	SAP Code	Rs./Km.	SAP Code	Rs./Km.
4 re	41240306	99800					41240406	111200		
6 re	41240307	120800					41240407	130400		
10 re	41240308	147700							*41250408	*155400
16 sm			47350309	150500					47350409	182100
25 sm			47350310	195400	47350010	231100			47350410	248000
35 sm			47350311	261200	47350011	287500			47350411	325100
50 sm			47350312	340100	47350012	387100			47350412	434100
70 sm			47350313	456600	47350013	524300			47350413	590000
95 sm			47350314	570800	47350014	648300			47350414	725300
120 sm			47350315	680200	47350015	809900			47350415	911300
150 sm			47350316	826800	47350016	953900			47350416	1150000
185 sm			47350317	1041000	47350017	1222100			47350417	1352900
240 sm			47350318	1326600	47350018	1516400			47350418	1740000
300 sm			47350319	1640400	47350019	1841500			47350419	2157200
400 sm			47350320	2191000	47350020	2397700			47350420	2818600
500 sm										
630 rm										
800 rm										
1000rm										

Extra Loading for Special Construction (Power Cables)				
1)	Round Wire Armouring	Loading	9)	FRLS Sheathing:
	2C X 16 & 3C X 16 an	25%		
	3.5 x 25 and above	25%		
	4C X 10 & 4C X 16 an	25%		
2)	Only Solid Cond. will be provided up to 10 sqmm and below			
3)	Extruded PVC Inner sheath		Notes	
	upto 50sqmm	5.0%	1)	Single Core Arm Cables will be a Al. Round Wire. 'sm' to be replaced by 'rm' for shape of conductor
	70 and above	2.5%	2)	The inner sheath for multicore armoured cables of sizes up to 3C X 10 Sq.mm will be of extruded PVC sheath is provided the rest will be of Plastic Tape wrapping. No Innersheath for Single Core Cables
4)	FR Outer Sheath / Oxygen Index	2.50%	3)	* Marked items are NON IS cables
5)	PVC Insulated per IS 1554 Pt- 1	8%		
6)	HR PVC Insulation	10%		
7)	HR PVC Innersheath	5%		
8)	HR PVC Outersheath	5%		

Above Listed prices are Exclusive of GST & any other statutory levies, which shall be charged extra.
This Price List Supersedes all our Previous Price list and is subject to change without Prior Notice

Ref PCD-64- dt. 05.06.2023

HSN 8544

Finolex make 'FINVUL-X', 650/1100 Volts grade Power Cables Unarmored (A2XY) with Aluminum conductors as per IS 7098 /Part-I/1988

Size Cross Sec Sq.mm	1 Core		2 Core		3 Core	
	A2XY		A2XY		A2XY	
	SAP Code	Rs./Km.	SAP Code	Rs./Km.	SAP Code	Rs./Km.
4 re			41270206	48100	41270306	57600
6 re			41270207	59500	41270307	73400
10 re			41270208	72500	41270308	92000
16 sm	43170109	49700	43270209	104500	47370309	119900
25 sm	43170110	67000			47370310	168200
35 sm	43170111	80700			47370311	218900
50 sm	43170112	104500			47370312	285500
70 sm	43170113	150000			47370313	412400
95 sm	43170114	194400			47370314	530100
120 sm	43170115	235200			47370315	652700
150 sm	43170116	292000			47370316	800700
185 sm	43170117	343900			47370317	1002800
240 sm	43170118	436600			47370318	1298900
300 sm	43170119	545100			47370319	1596900
400 sm	43170120	729200			47370320	2047500
500 sm	43170121	883200				
630 rm	43170122	1124500				
800 rm	43170123	1386100				
1000rm	43170124	1726000				

Size Cross Sec Sq.mm	3.5 Core A2XY		4 Core A2XY	
	SAP Code	Rs./Km.	SAP Code	Rs./Km.
4 re			41270406	69100
6 re			41270407	86100
10 re			41270408	121200
16 sm			47270409	163100
25 sm	47370010	199300	47370410	230800
35 sm	47370011	249500	47370411	293400
50 sm	47370012	340100	47370412	380400
70 sm	47370013	501200	47370413	525400
95 sm	47370014	648400	47370414	695100
120 sm	47370015	766200	47370415	865400
150 sm	47370016	920000	47370416	1068800
185 sm	47370017	1171400	47370417	1344100
240 sm	47370018	1507100	47370418	1724200
300 sm	47370019	1897500	47370419	2118900
400 sm	47370020	2380100	47370420	2727800
500 sm				
630 rm				
800 rm				
1000rm				

Extra Loading for Special Construction (Power Cables)					Single Core		Multicore		
1)	2)	3)	4)	5)	(Sq.mm)	Inner	Outer	Inner	Outer
Only Solid Cond. will be provided up to 10 sqmm and below					Upto 16	NA	10%	10%	7.5%
Extruded PVC Inner sheath					25 to 50	NA	10%	7.5%	7.5%
upto 50sqmm					70 & above	NA	7.5%	5%	7.5%
70 and above									
FR Outer Sheath / Oxygen Index 29									
PVC Insulated per IS 1554 Pt- 1 1988									
HR PVC Insulation									
HR PVC Innersheath									
HR PVC Outersheath									
FRLS Sheathing:									

Notes									
1)	Single Core Arm Cables will be a Al. Round Wire / Flat Strip. `sm' to be replaced by `rm' for shape of conductor								
2)	The inner sheath for multicore armoured cables of sizes up to 3C X 10 Sq.mm will be of extruded PVC and sheath is provided the rest will be of Plastic Tape wrapping. No Innersheath for Single Core Cables								
3)	* Marked items are NON IS cables								

Above Listed prices are Exclusive of GST & any other statutory levies, which shall be charged extra. This Price List Supersedes all our Previous Price list and is subject to change without Prior Notice

Ref PCD-64- dt. 05.06.2023

HSN 8544

Finolex make 'FINVUL-X' 650/1100 Volts grade XLPE Insulated Control Cables Unarmoured(2XY) & Armoured(2XWY/2XFY) with copper conductors as per IS 7098/Part-I/1988

No of Cores	1.5 sq mm (re)					
	Unarmoured		Armoured			
	(2XY)		2XWY		2XFY	
	SAP code	(RS/KM)	SAP code	(RS/KM)	SAP code	(RS/KM)
2	51170204	76000	51240204	90200		
3	51170304	101000	51240304	113100		
4	51170404	122900	51240404	141900		
5	51170504	145100	51240504	176400		
6	51170604	172400	51240604	206700		
7	51170704	194100	51240704	229200		
8	51170804	222400	51240804	283700		
10	51171004	274000	51241004	338200		
12	51171204	319900			*51251204	*368300
14	51171404	368600			*51251404	*409100
16	51171604	420000			51251604	465200
19	51171904	501300			51251904	563700
24	51172404	641000			51252404	687100
27	51172704	702800			51252704	750300
30	51173004	776800			51253004	830700
37	51173704	951500			51253704	1019500
44	51174404	1127700			51254404	1186400
61	51176104	1554500			51256104	1625000

No of Cores	2.5 sq mm (re)						
	Unarmoured			Armoured			
	(2XY)			2XWY		2XFY	
	SAP code	(RS/KM)		SAP code	(RS/KM)	SAP code	(RS/KM)
2	51170205	105700	51240205	129500			
3	51170305	154700	51240305	170600			
4	51170405	180300	51240405	218000			
5	51170505	219400	51240505	268700			
6	51270605	269800	51240605	319400			
7	51170705	297800	51240705	351400			
8	51170805	339400	51240805	415300			
10	51171005	421300			51251005	518600	
12	51171205	498500			51251205	597500	
14	51171405	574000			51251405	630400	
16	51171605	655700			51251605	715000	
19	51171905	786800			51251905	913200	
24	51172405	990300			51252405	1049800	
27	51172705	1108000			51252705	1180500	
30	51173005	1226400			51253005	1282700	
37	51173705	1503700			51253705	1617800	
44	51174405	1793400			51254405	1859100	
61	51176105	2471700			51256105	2566500	

Extra Loading for Special Construction (Control Cables)

1	For Stranding		Loading	6	FRLS Loading Factor for Sheathing			
	6 Sq.mm and below		4%		No. of Core	Inner sheath	Outer Sheath	
2	Round Wire Armouring						Armour	Unarmour
	1.5sqmm, 12 core & above		15%		2 to 4	5%	6.0%	6.0%
	2.5sqmm, 9 core & above		15%		5 to 10	5%	4.0%	4.0%
3	HR PVC Insulation		7.0%		12 & above	5%	4.0%	4.0%
	HR PVC Inner & Outer sheath		5 % each					
4	FR Outer Sheath (Oxygen Index 29)		2.5%	Note	* Marked Items are Non IS Spec			
5	PVC Insulated cable as per		5%					

Ref PCD-64- dt. 05.06.2023

HSN 8544

Finolex make 'FINVUL-X' 650/1100 Volts grade XLPE Insulated Control Cables Unarmoured(2XY) & Armoured(2XWY/2XFY) with copper conductors as per IS 7098/Part-I/1988

Size	2 Core				3 Core				4 Core			
	Copper Armoured Cables											
	2XWY		2XFY		2XWY		2XFY		2XWY		2XFY	
Cross Section Sq mm	SAP Code	(RS/KM)	SAP Code	(RS/KM)	SAP Code	(RS/KM)	SAP Code	(RS/KM)	SAP Code	(RS/KM)	SAP Code	(RS/KM)
4 (re)	51240206	170600			51240306	231100			51240406	295000		
6 (re)	51240207	236800			51240307	321300			51240407	417200		
10(rm)	53240208	377700			53340308	524300					*53350408	*674600
16(sm)			*53250209	*522400			57350309	742200			57350409	967700
25 (sm)											57350410	1507900
35 (sm)											57350411	2084900
50 (sm)											57350412	2878600
70 (sm)											57350413	4281000

Size	2 Core		3 Core		4 Core	
	Copper Unarmoured Cables					
	(2XY)		(2XY)		(2XY)	
Cross Section in Sq mm	SAP Code	(RS/KM)	SAP Code	(RS/KM)	SAP Code	(RS/KM)
4 (re)	51170206	152400	51170306	215900	51170406	277400
6 (re)	51170207	213000	51170307	306800	51170407	414800
10(rm)	53270208	353300	53270308	512300	53270408	676600
16(sm)	53270209	530000	57370309	758500	57370409	1006200

Note :

Cables upto and including 6 sq mm are with solid circular conductor (re). Cables 10 sq mm & above are with Stranded circular(rm)/sector shaped(sm) conductors as per IS 8130/1984.

The inner sheath for multicore armoured cables of sizes up to 4C X 6, 3C X 6 & 2C X 16 Sq.mm will be of extruded PVC and the rest will be of Plastic Tape wrapping.

Extra Loading for Special Construction (Control Cables)				Loading		
1	For Stranding		Loading	4	HR PVC Insulation, I/S & O /S	5 % (Each)
	6 Sq.mm and below		4%	6	PVC Insulated(IS 1554)	5%
2	Round Wire Armouring			7	FRLS Cables	
	3C X 16, 4CX10, 4C X 16 & above		15%		Inner Sheath	5%
3	Extruded PVC Inner Sheath		2.5%		Outersheath	Up to 6 Sq.m 7.50%
						10 Sq.mm & 4.00%

Above Listed prices are Exclusive of GST & any other statutory levies, which shall be charged extra.

This Price List Supersedes all our Previous Price list and is subject to change without Prior Notice

Ref PCD-52- dt. 05.06.2023

HSN 8544

"FINOPOWER" Stranded compact circular aluminum conductor, Conductor Screened with extruded semiconducting compound, XLPE insulated, Insulation Screened with extruded semiconducting compound (by Dry Cure Triple Extrusion) in combination with copper tape (0.69 KA for 1 sec), cores laid up, inner sheath of Plastic Tape, Galvanized steel Flat Strip armored and overall PVC (ST2) sheathed cables conforming to 1S 7098/ Part 2/2011 with latest amendments.

Cross	THREE CORE (3 Core)									
Section	A2XCEFY									
	6.6KV (E)		11KV(E)		11KV (UE)		22KV (E)		33KV (E)	
Sq.mm	SAP Code	Rs./km	SAP Code	Rs./km	SAP Code	Rs./km	SAP Code	Rs./km	SAP Code	Rs./km
35			4104111311	773200						
50			4104111312	881000						
70	4103111313	897100	4104111313	1044100						
95	4103111314	1067400	4104111314	1245900	4106111314	1478800	4107111314	1558600	4108111314	2100900
120	4103111315	1241900	4104111315	1279600	4106111315	1692900	4107111315	1758100	4108111315	2289700
150	4103111316	1450700	4104111316	1475000	4106111316	1912700	4107111316	1999200	4108111316	2535500
185	4103111317	1706500	4104111317	1701000	4106111317	2217800	4107111317	2281700	4108111317	2851900
240	4103111318	2030800	4104111318	2032400	4106111318	2578000	4107111318	2649500	4108111318	3216100
300	4103111319	2430400	4104111319	2423200	4106111319	2938500	4107111319	3049900	4108111319	3467200
400	4103111320	3010500	4104111320	3112800	4106111320	3521600	4107111320	3562300	4108111320	4078200

Extra Charges for Non Standard Construction		
Extruded Inner Sheath		3.00%
Pressure Extruded Inner Sheath		13.00%
Round Wire Armouring		
1) 3.3KV(E) to 11KV(E)		25.00%
2) 11KV(UE)		27.50%
3) 22KV		27.50%
4) 33KV(E) / (UE)		27.50%
FRLS PVC Inner Sheath		5.00%
FRLS PVC Outer Sheath		5.00%
FR Sheath with Oxygen Index 29		3.00%

Above Listed prices are Exclusive of GST & any other statutory levies, which shall be charged extra. This Price List Supersedes all our Previous Price list and is subject to change without Prior Notice

Ref PCD-52- dt. 05.06.2023

HSN 8544

"FINOPOWER" Stranded compact circular aluminum conductor, Conductor Screened with extruded semiconducting compound, XLPE insulated, Insulation Screened with extruded semiconducting compound (by Dry Cure Triple Extrusion Process) Hard drawn Aluminum round wire armored and overall PVC(ST2) sheathed cables conforming to IS 7098/Part 2/2011 with latest amendments.

Cross Section	SINGLE CORE									
	A2XWaY									
	6.6KV(E)		11KV(E)		11KV (UE)		22KV (E)		33KV (E)	
Sq.mm	SAP Code	Rs./km	SAP Code	Rs./km	SAP Code	Rs./km	SAP Code	Rs./km	SAP Code	Rs./km
240	4103031218	743700	4104031218	821600	4106031218	900400	4107031218	928500	4108031218	1127000
300	4103031219	874400	4104031219	904600	4106031219	1028000	4107031219	1067000	4108031219	1345500
400	4103031220	1072000	4104031220	1091100	4106031220	1217400	4107031220	1266200	4108031220	1601100
500	4103031221	1323800	4104031221	1302500	4106031221	1464100	4107031221	1604300	4108031221	1831700
630	4103031222	1589300	4104031222	1682300	4106031222	1883100	4107031222	1871700	4108031222	2258700
800	4103031223	1996600	4104031223	2002800	4106031223	2190900	4107031223	2232600	4108031223	2485900
1000	4103031224	2368800	4104031224	2376400	4106031224	2552100	4107031224	2618200	4108031224	3015000

Extra Charges for Non Standard Construction	
a) FRLS PVC Outer Sheath	5.00%
b) FR Sheath with Oxygen Index 29	3.00%

Above Listed prices are Exclusive of GST & any other statutory levies, which shall be charged extra.
This Price List Supersedes all our Previous Price list and is subject to change without Prior Notice